




GSC




EBARA MA
(TEL):-+86
(Web sit
(Headquarters)
No7,Middle Road,East three
303,A seat Fortune Plaza Pe

GSC 2P 50Hz



GSC 4P 50Hz



mm

0.55	50	32	80	360	140	192	28		80M1	143.5	328	14	665	120	425	210	240	4-15	50	3	771	112	
0.55	50	32	80	360	140	192	28		80M1	143.5	328	14	665	120	425	210	240	4-15	50	3	771	112	
0.55	50	32	80	360	160	212	29		80M1	153.5	328	14	675	120	435	260	290	4-15	50	3	771	113	
0.75	50	32	80	360	160	212	29		80M2	153.5	328	15.5	675	120	435	260	290	4-15	50	3	771	114.5	
0.55	50	32	80	360	160	212	29		80M1	153.5	328	14	675	120	435	260	290	4-15	50	3	771	113	
0.75	50	32	80	360	160	212	29		80M2	153.5	328	15.5	675	120	435	260	290	4-15	50	3	771	114.5	
1.1	50	32	80	360	160	212	29		90S	153.5	366	23	700	120	460	260	290	4-15	50	3	809	122	
0.55	50	32	80	360	180	240	39		80M1	143.5	328	14	675	120	435	260	290	4-15	50	3	771	123	
0.75	50	32	80	360	180	240	39		80M2	143.5	328	15.5	675	120	435	260	290	4-15	50	3	771	124.5	
1.1	50	32	80	360	180	240	39		90S	153	366	23	700	120	460	260	290	4-15	50	3	809	132	
0.75	50	32	80	360	180	240	39		80M2	143.5	328	15.5	675	120	435	260	290	4-15	50	3	771	124.5	
1.1	50	32	80	360	180	240	39		90S	153	366	23	700	120	460	260	290	4-15	50	3	809	132	
1.5	50	32	80	360	180	240	39		90L	153	391	26	720	130	460	260	290	4-15	50	3	834	135	
2.2	50	32	80	360	180	240	39		100L1	180	460	35	760	130	500	260	290	4-15	50	3	903	144	
0.75	50	32	100	360	225	260	46		80M2	143.5	328	15.5	690	120	450	340	370	4-15	50	3	791	131.5	
1.1	50	32	100	360	225	260	46		90S	154	366	23	710	120	470	340	370	4-15	50	3	829	139	
1.5	50	32	100	360	225	260	46		90L	154	366	26	730	130	470	340	370	4-15	50	3	829	142	
2.2	50	32	100	360	225	260	46		100L1	180	460	35	770	130	510	330	360	4-15	50	3	923	151	
3	50	32	100	360	225	260	46		100L2	180	460	41	770	130	510	330	360	4-15	50	3	923	157	
0.55	65	40	80	360	140	192	30		80M1	143.5	328	14	675	120	435	260	260	4-15	50	3	771	114	
0.75	65	40	80	360	140	192	30		80M2	143.5	328	15.5	675	120	435	260	260	4-15	50	3	771	115.5	
0.55	65	40	80	360	160	212	31		80M1	143	328	14	675	120	435	260	290	4-15	50	3	771	115	
0.75	65	40	80	360	160	212	31		80M2	143	328	15.5	675	120	435	260	290	4-15	50	3	771	116.5	
1.1	65	40	80	360	160	212	31		90S	154	366	23	700	120	460	260	290	4-15	50	3	809	124	
1.5	65	40	80	360	160	212	31		90L	154	391	26	720	130	460	260	290	4-15	50	3	834	127	
1.1	65	40	100	360	180	240	41		90S	153.5	366	23	700	120	460	285	315	4-15	50	3	829	134	
1.5	65	40	100	360	180	240	41		90L	153.5	391	26	720	130	460	285	315	4-15	50	3	854	137	
2.2	65	40	100	360	180	240	41		100L1	180	460	35	760	130	500	285	315	4-15	50	3	923	146	
3	65	40	100	360	180	240	41		100L2	180	460	41	760	130	500	285	315	4-15	50	3	923	152	
1.5	65	40	100	360	225	280	48		90L	153.5	391	26	730	130	470	340	370	4-15	50	3	854	144	
2.2	65	40	100	360	225	280	48		100L1	153.5	391	35	770	130	510	330	360	4-15	50	3	854	153	
3	65	40	100	360	225	280	48		100L2	180	460	41	770	130	510	330	360	4-15	50	3	923	159	
4	65	40	100	360	225	280	48		112M	180	460	50	780	140	500	340	370	4-15	50	3	923	168	
2.2	65	40	125	470	250	325	82		100L1	180	460	35	880	150	580	365	395	4-15	70	3	1058	207	
3	65	40	125	470	250	325	82		100L2	180	460	41	880	150	580	365	395	4-15	70	3	1058	213	
4	65	40	125	470	250	325	82		112M	192	448	50	890	150	590	365	395	4-15	70	3	1046	222	
5.5	65	40	125	470	250	325	82		132S	215	515	70	910	160	590	365	395	4-15	70	3	1113	242	
7.5	65	40	125	470	250	325	82		132M	215	560	76.5	945	160	625	365	395	4-15	70	3	1158	248.5	
11	65	40	125	470	250	325	82		160M	255	614	121	1030	180	670	365	395	4-15	100	3	1212	323	
0.55	65	50	100	360	160	212	33		80M1	143.5	328	14	675	120	435	260	290	4-15	50	3	791	117	
0.75	65	50	100	360	160	212	33		80M2	143.5	328	15.5	675	120	435	260	290	4-15	50	3	791	118.5	
1.1	65	50	100	360	160	212	33		90S	153.5	366	23	700	120	460	260	290	4-15	50	3	829	126	
0.55	65	50	100	360	180	240	33		80M1	143.5	328	14	675	120	435	285	315	4-15	50	3	791	117	
0.75	65	50	100	360	180	240	33		80M2	143.5	328	15.5	675	120	435	285	315	4-15	50	3	791	118.5	
1.1	65	50	100	360	180	240	33		90S	153.5	366	23	700	120	460	285	315	4-15	50	3	829	126	
1.5	65	50	100	360	180	240	33		90L	153.5	391	26	720	130	460	285	315	4-15	50	3	854	129	
2.2	65	50	100	360	180	240	33		100L1	180	460	35	760	130	500	285	315	4-15	50	3	923	138	
1.1	65	50	100	360	200	240	44		90S	153.5	366	23	700	120	460	285	315	4-15	50	3	829	137	
1.5	65	50	100	360	200	240	44		90L	153.5	391	26	720	130	460	285	315	4-15	50	3	854	140	
2.2	65	50	100	360	200	240	44		100L1	180	460	35	760	130	500	285	315	4-15	50	3	923	149	
3	65	50	100	360	200	240	44		100L2	180	460	41	760	130	500	285	315	4-15	50	3	923	155	
4	65	50	100	360	200	240	44		112M	192	448	50	765	130	505	285	315	4-15	50	3	911	164	
2.2	65	50	100	360	225	260	50		100L1	180	460	35	770	130	510	330	360	4-15	50	3	923	155	
3	65	50	100	360	225	260	50		100L2	180	460	41	770	130	510	330	360	4-15	50	3	923	161	
4	65	50	100	360	225	260	50		112M	192	448	50	780	140	500	340	370	4-15	50	3	911	170	
5.5	65	50	100	360	225	260	50		132S	215	515	70	800	140	520	340	370	4-15	70	3	978	210	
7.5	65	50	100	360	225	260	50		132M	215	560	76.5	855	150	555	340	370	4-15	70	3	1023	216.5	
4	65	50	125	470	280	325	86		112M	192	448	50	890	150	590	365	395	4-15	70	3	1046	226	
5.5	65	50	125	470	280	325	86		132S	215	515	70	910	160	590	365	395	4-15	70	3	1113	246	
7.5	65	50	125	470	280	325	86		132M	215	560	76.5	945	160	625	365	395	4-15	70	3	1158	252.5	
11	65	50	125	470	280	325	86		160M	255	614	121	1030	180	670	365	395	4-15	100	3	1212	327	
15	65	50	125	470	280	325	86		160L	255	674	129	1075	180	715	365	395	4-15	100	3	1272	335	
0.55	80	65	100	360	180	240	37		80M1	143.5	328	14	690	120	450	300	330	4-15	50	3	791	121	
0.75	80	65	100	360	180	240	37		80M2	143.5	328	15.5	690	120	450	300	330	4-15	50	3	791	122.5	
1.1	80	65	100	360	180	240	37		90S	153.5	366	23	710	120	470	300	330	4-15	50	3	829	130	
1.5	80	65	100	360	180	240	37		90L	153.5	391	26	730	130	470	300	330	4-15	50	3	854	133	
0.75	80	65	100	360	200	240	41		80M2	143.5	328	15.5	690	120	450	300	330						

mm

11	150	125	140	470	355	350	131	156	160M	255	614	121	1045	180	685	420	450	4-15	100	3	1227	400	425
15	150	125	140	470	355	350	131	156	160L	255	674	129	1090	190	710	420	450	4-15	100	3	1287	410	435
18.5	150	125	140	470	355	350	131	156	180M	270	683	173	1095	190	715	420	450	4-15	100	3	1296	450	475
22	150	125	140	470	355	350	131	156	180L	283	718	184	1135	190	755	420	450	4-15	100	3	1331	470	495
30	150	125	140	470	355	350	131	156	200L	326	807	270	1190	200	790	420	450	4-15	100	3	1420	550	575
15	150	125	140	530	355	400	176	201	160L	261	674	129	1170	200	770	513	550	4-19	100	3	1347	460	485
18.5	150	125	140	530	355	400	176	201	180M	283	683	173	1175	200	775	513	550	4-19	100	3	1356	500	525
22	150	125	140	530	355	400	176	201	180L	283	758	184	1215	210	795	513	550	4-19	100	3	1431	520	545
30	150	125	140	530	355	400	176	201	200L	326	807	270	1270	220	830	513	550	4-19	100	4	1481	600	625
37	150	125	140	530	355	400	176	201	225S	345	846	305	1290	220	850	513	550	4-19	100	4	1520	640	665
45	150	125	140	530	355	400	176	201	225M	345	875	355	1305	220	865	513	550	4-19	100	4	1549	690	715
22	150	125	140	530	400	435	218	243	180L	283	758	184	1215	210	795	513	550	4-19	100	3	1431	550	575
30	150	125	140	530	400	435	218	243	200L	326	807	270	1270	220	830	513	550	4-19	100	4	1481	650	675
37	150	125	140	530	400	435	218	243	225S	345	846	305	1290	220	850	513	550	4-19	100	4	1520	650	675
45	150	125	140	530	400	435	218	243	225M	345	875	355	1305	220	865	513	550	4-19	100	4	1549	680	705
55	150	125	140	530	400	435	218	243	250M	421	965	451	1370	230	910	513	550	4-19	100	4	1639	850	875
75	150	125	140	530	400	435	218	243	280S	448	1007	598	1415	240	935	558	595	4-19	100	4	1681	980	1005
30	150	125	180	670	450	495	365	390	200L	326	807	270	1410	240	930	563	600	4-19	100	4	1661	800	825
37	150	125	180	670	450	495	365	390	225S	345	842	370	1410	240	930	563	600	4-19	100	4	1661	800	825

00 801 639 83
800 825